

ASPH rabbit pAb

Catalog No	YP-Ab-12494
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB; ELISA
Gene Name	ASPH
Protein Name	ASPH
Immunogen	Synthesized peptide derived from human ASPH
Specificity	This antibody detects endogenous levels of Human, Mouse, Rat ASPH
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Otorage Otability	
Synonyms	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase)
	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate
Synonyms	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate
Synonyms Observed Band	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass
Synonyms Observed Band Cell Pathway	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at
Synonyms Observed Band Cell Pathway Tissue Specificity	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at
Synonyms Observed Band Cell Pathway Tissue Specificity Function	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at
Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at protein level).



UpingBio technology Co.,Ltd

🕻 Tel: 400-999-8863 📾 Email:UpingBio@163.com

Website: www.upingBio.com

Products Images