



# BM88 Polyclonal Antibody

<b>Catalog No</b>	YP-Ab-12690
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Rat;Mouse;
<b>Applications</b>	WB;IHC;IF;ELISA
<b>Gene Name</b>	CEND1
<b>Protein Name</b>	Cell cycle exit and neuronal differentiation protein 1
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human CEND. AA range:11-60
<b>Specificity</b>	BM88 Polyclonal Antibody detects endogenous levels of BM88 protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	IHC: 1/100 - 1/300. ELISA: 1/5000.. IF 1:50-200
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	CEND1; BM88; Cell cycle exit and neuronal differentiation protein 1; BM88 antigen
<b>Observed Band</b>	20kD
<b>Cell Pathway</b>	Membrane ; Single-pass type IV membrane protein .
<b>Tissue Specificity</b>	Neuron specific.
<b>Function</b>	function:Involved in neuroblastoma cell differentiation.,similarity:Belongs to the CEND1 family.,subunit:Homodimer.,tissue specificity:Neuron specific.,
<b>Background</b>	The protein encoded by this gene is a neuron-specific protein. The similar protein in pig enhances neuroblastoma cell differentiation in vitro and may be involved in neuronal differentiation in vivo. Multiple pseudogenes have been reported for this gene. [provided by RefSeq, Jul 2008],
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images