

🔇 Tel: 400-999-8863 📼 Email:3631691544@qq.com 🛛 🤅

Ø Website: www.upingBio.com

FOS rabbit pAb

| Catalog No | YP-Ab-02275 |
|---------------------------|---|
| Isotype | lgG |
| Reactivity | Human;Mouse;Rat |
| Applications | WB; ELISA |
| Gene Name | FOS G0S7 |
| Protein Name | FOS |
| Immunogen | Synthesized peptide derived from human FOS |
| Specificity | This antibody detects endogenous levels of Human,Mouse,Rat FOS |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1:1000-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | Proto-oncogene c-Fos (Cellular oncogene fos;G0/G1 switch regulatory protein 7) |
| Observed Band | |
| Cell Pathway | Nucleus. Endoplasmic reticulum. Cytoplasm, cytosol. In quiescent cells, present in very small amounts in the cytosol. Following induction of cell growth, first localizes to the endoplasmic reticulum and only later to the nucleus. Localization at the endoplasmic reticulum requires dephosphorylation at Tyr-10 and Tyr-30. |
| Tissue Specificity | |
| Function | |
| Background | |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |



🔇 Tel: 400-999-8863 📼 Email:3631691544@qq.com

Website: www.upingBio.com

Products Images