





PD-1 (PT1707) mouse mAb

| Catalog No | YP-Ab-15190 |
|---|--|
| Isotype | IgG |
| Reactivity | Human |
| Applications | IHC-p;IF(paraffin section) |
| Gene Name | PDCD1 PD1 |
| Protein Name | Programmed cell death protein 1 (Protein PD-1) (hPD-1) (CD antigen CD279) |
| Immunogen | Synthesized peptide derived from human PD-1 |
| Specificity | This antibody detects endogenous levels of human PD-1. Heat-induced epitope retrieval (HIER) Citrate buffer of pH6.0 was highly recommended as antigen repair method in paraffin section |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse/IgG1, Kappa |
| Purification | The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. |
| Dilution | WB 500-2000 IHC-p 1:100-500 |
| | |
| Concentration | 1 mg/ml |
| Concentration Purity | 1 mg/ml ≥90% |
| | • |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% |
| Purity Storage Stability Synonyms | ≥90% |
| Purity Storage Stability Synonyms Observed Band | ≥90% -20°C/1 year |
| Purity Storage Stability Synonyms Observed Band Cell Pathway | ≥90% -20°C/1 year Cell membrane ; Single-pass type I membrane protein. |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | ≥90% -20°C/1 year Cell membrane ; Single-pass type I membrane protein. |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function | ≥90% -20°C/1 year Cell membrane ; Single-pass type I membrane protein. |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing | ≥90% -20°C/1 year Cell membrane ; Single-pass type I membrane protein. Placenta,Pooled tissue,Uterine cervix, |



UpingBio technology Co.,Ltd

(Tel: 400-999-8863 **(** Email:3631691544@qq.com

| Website: | www.upingBio.com | |
|----------|------------------|--|

| Products Images | |
|-----------------|--|
| | |
| | |
| | |
| | |
| | |