



CK19&10 mouse mAb(ABT498)

Catalog No	YP-Ab-15578
Isotype	IgG
Reactivity	Human
Applications	IHC, WB
Gene Name	KRT19
Protein Name	CK19&10
Immunogen	Synthesized peptide derived from human CK19&10
Specificity	The antibody can recognize human CK10 and CK19 protein, and shows no cross reaction with CK1, 5, 6, 7, 8, 13, 14, 15, 17, 18, 20.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.69% sodium azide.
Source	Monoclonal, Mouse/IgG1
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1:100-500, IF 1:100-500
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Keratin, type I cytoskeletal 19 (Cytokeratin-19;CK-19;Keratin-19;K19)
Observed Band	
Cell Pathway	Kindeg, Liver, Colon, Colon carcinoma
Tissue Specificity	Expressed in a defined zone of basal keratinocytes in the deep outer root sheath of hair follicles. Also observed in sweat gland and mammary gland ductal and secretory cells, bile ducts, gastrointestinal tract, bladder urothelium, oral epithelia, esophagus, ectocervical epithelium (at protein level). Expressed in epidermal basal cells, in nipple epidermis and a defined region of the hair follicle. Also seen in a subset of vascular wall cells in both the veins and artery of human umbilical cord, and in umbilical cord vascular smooth muscle. Observed in muscle fibers accumulating in the costameres of myoplasm at the sarcolemma in structures that contain dystrophin and spectrin.
Function	
Background	
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images