



CD44 mouse mAb(ABT482)

Catalog No	YP-Ab-15648
Isotype	IgG
Reactivity	Human
Applications	IHC, WB
Gene Name	CD44 LHR MDU2 MDU3 MIC4
Protein Name	CD44
Immunogen	Synthesized peptide derived from human CD44
Specificity	The antibody can specifically recognize human CD44 protein. In western blotting of Hela cell lysate, the antibody can label a 81KDa band corresponding to CD44.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.110% sodium azide.
Source	Monoclonal, Mouse/IgG1, Kappa
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1:100-500, IF 1:100-500
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CD44 antigen (CDw44;Epican;Extracellular matrix receptor III;ECMR-III;GP90 lymphocyte homing/adhesion receptor;HUTCH-I;Heparan sulfate proteoglycan;Hermes antigen;Hyaluronate receptor;Phagocytic glycoprotein 1;PGP-1;Phagocytic glycoprotein I;PGP-I;CD antigen CD44)
Observed Band	
Cell Pathway	Cell membrane ; Single-pass type I membrane protein . Cell projection, microvillus . Colocalizes with actin in membrane protrusions at wounding edges. Co-localizes with RDX, EZR and MSN in microvilli. Localizes to cholesterol-rich membrane-bound lipid raft domains. .
Tissue Specificity	Isoform 10 (epithelial isoform) is expressed by cells of epithelium and highly expressed by carcinomas. Expression is repressed in neuroblastoma cells.
Function	
Background	
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images