




BCA3 Monoclonal Antibody

Catalog No	YP-mAb-00320
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	AKIP1
Protein Name	A-kinase-interacting protein 1
Immunogen	The antiserum was produced against synthesized peptide derived from human BCA3. AA range:111-160
Specificity	BCA3 Monoclonal Antibody detects endogenous levels of BCA3 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	AKIP1; BCA3; C11orf17; A-kinase-interacting protein 1; Breast cancer-associated gene 3 protein; PKA-interacting protein; Proline-rich protein BCA3
Observed Band	26kD
Cell Pathway	Nucleus . Locates to punctate spots.
Tissue Specificity	Expressed at high levels in adult heart and at lower levels in brain, testis, ovary and skeletal muscle. Up-regulated in some breast cancer cell lines. Isoform 1 and isoform 3 are expressed in fetal brain.
Function	subcellular location:Locates to punctate spots.,subunit:Interacts with PRKACA.,tissue specificity:Expressed at high levels in adult heart and at lower levels in brain, testis, ovary and skeletal muscle. Up-regulated in some breast cancer cell lines. Isoform 1 and isoform 3 are expressed in fetal brain.,
Background	This gene encodes a nuclear protein that interacts with protein kinase A catalytic subunit, and regulates the effect of the cAMP-dependent protein kinase signaling pathway on the NF-kappa-B activation cascade. Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Oct 2011],
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Western Blot analysis of various cells using BCA3 Monoclonal Antibody