



## **CSRNP2** Monoclonal Antibody

Catalog No YP-mAb	p-00361
<b>Isotype</b> IgG	
Reactivity Human;	Mouse;Rat
<b>Applications</b> WB	
Gene Name CSRNP	2
Protein Name Cysteine	e/serine-rich nuclear protein 2
•	serum was produced against synthesized peptide derived from human AA range:91-140
<b>Specificity</b> CSRNP	2 Monoclonal Antibody detects endogenous levels of CSRNP2 protein.
Formulation Liquid in	PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source Monoclo	onal, Mouse,lgG
	body was affinity-purified from mouse antiserum by chromatography using epitope-specific immunogen.
<b>Dilution</b> WB 1:50	00-1:2000
Concentration 1 mg/ml	
Purity ≥90%	
Storage Stability -20°C/1	year
	2; C12orf22; FAM130A1; TAIP12; Cysteine/serine-rich nuclear protein 2; -2; Protein FAM130A1; TGF-beta-induced apoptosis protein 12; TAIP-12
<b>Observed Band</b> 60kD	
Cell Pathway Nucleus	•
Tissue Specificity Brain, H	leart,
activator	Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activity (By similarity). May play a role in apoptosis.,similarity:Belongs to ID1 family.,
proteins regions, sequenc Studies Alternati	otein encoded by this gene belongs to the CSRNP family of nuclear that share conserved regions, including cysteine- and serine- rich a basic domain, a transcriptional activation domain, and bind the e 'AGAGTG', thus have the hallmark of transcription factors. in mice suggest that these genes may have redundant functions. vely spliced transcript variants have been found for this gene. [provided eq, Aug 2011],
matters needing Avoid re attention	peated freezing and thawing!



## UpingBio technology Co.,Ltd





**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

