



hnRNP G Monoclonal Antibody

Catalog No	YP-mAb-01806
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	RBMX
Protein Name	RNA-binding motif protein X chromosome
Immunogen	The antiserum was produced against synthesized peptide derived from human hnRNP G. AA range:6-55
Specificity	hnRNP G Monoclonal Antibody detects endogenous levels of hnRNP G protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	RBMX; HNRPG; RBMXP1; RNA-binding motif protein; X chromosome; Glycoprotein p43; Heterogeneous nuclear ribonucleoprotein G; hnRNP G
Observed Band	40kD
Cell Pathway	Nucleus . Component of ribonucleosomes. Localizes in numerous small granules in the nucleus.
Tissue Specificity	Expressed strongly in oral keratinocytes, but only weakly detected in oral squamous cell carcinomas (at protein level).
Function	function:RNA-binding protein which may be involved in pre-mRNA splicing.,PTM:Arg-185 is dimethylated, probably to asymmetric dimethylarginine.,PTM:Cleavage of initiator Met is partial. If Met-1 is not removed, it is acetylated. If it is removed, Val-2 is acetylated.,PTM:O-glycosylated.,similarity:Contains 1 RRM (RNA recognition motif) domain.,subcellular location:Component of ribonucleosomes.,subunit:Identified in the spliceosome C complex, at least composed of AQR, ASCC3L1, C19orf29, CDC40, CDC5L, CRNKL1, DDX23, DDX41, DDX48, DDX5, DGCR14, DHX35, DHX38, DHX8, EFTUD2, FRG1, GPATC1, HNRPA1, HNRPA2B1, HNRPA3, HNRPC, HNRPF, HNRPH1, HNRPK, HNRPM, HNRPR, HNRPU, KIAA1160, KIAA1604, LSM2, LSM3, MAGOH, MORG1, MABPC1, PLRG1, PNN, PPIE, PPIL1, PPIL3, PPWD1, PRPF19, PRPF4B, PRPF6, PRPF8, RALY, RBM22, RBM8A, RBMX, SART1, SF3A1, SF3A2, SF3A3, SF3B1, SF3B2, SF3B3, SFRS1, SKIV2L2, SNRPA1, SNRPB,



SNRPB2

Background

This gene belongs to the RBMY gene family which includes candidate Y chromosome spermatogenesis genes. This gene, an active X chromosome homolog of the Y chromosome RBMY gene, is widely expressed whereas the RBMY gene evolved a male-specific function in spermatogenesis. Pseudogenes of this gene, found on chromosomes 1, 4, 9, 11, and 6, were likely derived by retrotransposition from the original gene. Alternatively spliced transcript variants encoding different isoforms have been identified. A snoRNA gene (SNORD61) is found in one of its introns. [provided by RefSeq, Sep 2009],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using hnRNP G Monoclonal Antibody