





TBX18 Monoclonal Antibody

| Catalog No | YP-mAb-02079 |
|---------------------------|---|
| Isotype | IgG |
| Reactivity | Human;Mouse;Rat |
| Applications | WB |
| Gene Name | TBX18 |
| Protein Name | T-box transcription factor TBX18 |
| Immunogen | The antiserum was produced against synthesized peptide derived from human TBX18. AA range:121-170 |
| Specificity | TBX18 Monoclonal Antibody detects endogenous levels of TBX18 protein. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | TBX18; T-box transcription factor TBX18; T-box protein 18 |
| Observed Band | 68kD |
| Cell Pathway | Nucleus . |
| Tissue Specificity | Lung, |
| Function | function:Probable transcriptional regulator involved in developmental processes.,similarity:Contains 1 T-box DNA-binding domain., |
| Background | T-box 18(TBX18) Homo sapiens This genes codes for a member of an evolutionarily conserved family of transcription factors that plays a crucial role in embryonic development. The family is characterized by the presence of the DNA-binding T-box domain and is divided into five sub-families based on sequence conservation in this domain. The encoded protein belongs to the vertebrate specific Tbx1 sub-family. The protein acts as a transcriptional repressor by antagonizing transcriptional activators in the T-box family. The protein forms homo- or heterodimers with other transcription factors of the T-box family or other transcription factors. [provided by RefSeq, Nov 2012], |
| matters needing attention | Avoid repeated freezing and thawing! |



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using TBX18 Monoclonal Antibody