





## ZDHHC2 Monoclonal Antibody

YP-mAb-02167
IgG
Human;Mouse;Rat;Monkey
WB
ZDHHC2
Palmitoyltransferase ZDHHC2
The antiserum was produced against synthesized peptide derived from human ZDHHC2. AA range:61-110
ZDHHC2 Monoclonal Antibody detects endogenous levels of ZDHHC2 protein.
Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Monoclonal, Mouse,IgG
The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-1:2000
1 mg/ml
≥90%
-20°C/1 year
ZDHHC2; REAM; REC; ZNF372; Palmitoyltransferase ZDHHC2; Reduced expression associated with metastasis protein; Ream; Reduced expression in cancer protein; Rec; Zinc finger DHHC domain-containing protein 2; DHHC-2; Zinc finger protein 372
42kD
Cell junction, synapse, postsynaptic density . Postsynaptic recycling endosome membrane ; Multi-pass membrane protein . Cell membrane ; Multi-pass membrane protein . Endoplasmic reticulum membrane ; Multi-pass membrane protein . Golgi apparatus membrane ; Multi-pass membrane protein . Translocates to postsynaptic density when synaptic activity decreases
Ubiquitously expressed (PubMed:10918388, PubMed:22034844). Reduced expression in colorectal cancers with liver metastasis (PubMed:10918388).
catalytic activity:Palmitoyl-CoA + protein-cysteine = S-palmitoyl protein + CoA.,disease:Mutations in ZDHHC2 are found in hepatocellular carcinoma and colorectal cancer.,domain:The DHHC domain is required for palmitoyltransferase activity.,function:Palmitoyltransferase specific for GAP43 and DLG4/PSD95.,similarity:Belongs to the DHHC palmitoyltransferase family.,similarity:Contains 1 DHHC-type zinc finger.,tissue specificity:Ubiquitously expressed. Reduced expression in colorectal cancers.,




## UpingBio technology Co.,Ltd

▼ Tel: 400-999-8863
Emall: UpingBio@163.com



Background	catalytic activity:Palmitoyl-CoA + protein-cysteine = S-palmitoyl protein + CoA.,disease:Mutations in ZDHHC2 are found in hepatocellular carcinoma and colorectal cancer.,domain:The DHHC domain is required for palmitoyltransferase activity.,function:Palmitoyltransferase specific for GAP43 and DLG4/PSD95.,similarity:Belongs to the DHHC palmitoyltransferase family.,similarity:Contains 1 DHHC-type zinc finger.,tissue specificity:Ubiquitously expressed. Reduced expression in colorectal cancers.,
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using ZDHHC2 Monoclonal Antibody