



Neuralized-1 Monoclonal Antibody

Catalog No	YP-mAb-02715
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	NEURL
Protein Name	Neuralized-like protein 1A
Immunogen	The antiserum was produced against synthesized peptide derived from human NEURL1. AA range:219-268
Specificity	Neuralized-1 Monoclonal Antibody detects endogenous levels of Neuralized-1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	NEURL; NEURL1; NEURL1A; RNF67; Neuralized-like protein 1A; h-neu; h-neuralized 1; RING finger protein 67
Observed Band	62kD
Cell Pathway	Cytoplasm, perinuclear region . Cell membrane ; Peripheral membrane protein . Perikaryon . Cell projection, dendrite . Cell junction, synapse, postsynaptic density . Localized in the cell bodies of the pyramidal neurons and distributed along their apical dendrites. Colocalized with PSD95 in postsynaptic sites. Colocalized with CPEB3 at apical dendrites of CA1 neurons (By similarity). Colocalized with JAG1 at the cell surface. .
Tissue Specificity	Expressed in brain, testis, pituitary gland, pancreas and bone marrow. Also poorly expressed in malignant astrocytomas and several neuroectodermal tumor cell lines. Weakly expressed in medulloblastoma (MB) compared with normal cerebellar tissues.
Function	microtubule cytoskeleton organization, microtubule bundle formation, reproductive developmental process, cell motion, cytoskeleton organization, microtubule-based process, gamete generation, germ cell development, spermatogenesis, spermatid development, sperm axoneme assembly, lactation, flagellum assembly, cellular component assembly involved in morphogenesis, sexual reproduction, cell projection organization, cell projection assembly, sperm motility, mammary gland development, multicellular organism reproduction, cellular component morphogenesis, axoneme assembly, flagellar



axoneme assembly, flagellum organization, male gamete generation, spermatid differentiation, reproductive process in a multicellular organism, reproductive cellular process, gland development, cell motility, localization of cell,

Background

NEURL1B (neuralized homolog 1B), also known as neur2 or NEURL3, is a 555 amino acid protein that functions as an E3 ubiquitin-protein ligase. Involved in protein ubiquitination, NEURL1B contains two NHR (neuralized homology repeat) domains and one RING-type zinc finger. NEURL4 (neuralized homolog 4 (Drosophila)), also known as neuralized-like protein 4, is a 1,562 amino acid protein that is highly expressed in a wide variety of tissues. Containing six NHR (neuralized homology repeat) domains, NEURL4 exists as two alternatively spliced isoforms that are encoded by a gene that maps to human chromosome 17p13.1.

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

