

## FRS3 Monoclonal Antibody

Catalog No       YP-mAb-03878         Isotype       IgG         Reactivity       Human;Monkey         Applications       WB         Gene Name       FRS3         Protein Name       Fibroblast growth factor receptor substrate 3         Immunogen       The antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240         Specificity       FRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse,IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-1:2000         Concentration       1 mg/ml         Purity       ≥90%
Reactivity Human;Monkey  Applications WB  Gene Name FRS3  Protein Name Fibroblast growth factor receptor substrate 3  Immunogen The antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240  Specificity FRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse,IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
Applications  Gene Name  FRS3  Protein Name  Fibroblast growth factor receptor substrate 3  Immunogen  The antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240  Specificity  FRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.  Formulation  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source  Monoclonal, Mouse,IgG  Purification  The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  WB 1:500-1:2000  Concentration  1 mg/ml
Gene NameFRS3Protein NameFibroblast growth factor receptor substrate 3ImmunogenThe antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240SpecificityFRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse, IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-1:2000Concentration1 mg/ml
Protein NameFibroblast growth factor receptor substrate 3ImmunogenThe antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240SpecificityFRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-1:2000Concentration1 mg/ml
ImmunogenThe antiserum was produced against synthesized peptide derived from human FRS3. AA range:191-240SpecificityFRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-1:2000Concentration1 mg/ml
FRS3. AA range:191-240  Specificity FRS3 Monoclonal Antibody detects endogenous levels of FRS3 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse,lgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse,IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
Source Monoclonal, Mouse,IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-1:2000  Concentration 1 mg/ml
Concentration 1 mg/ml
Purity ≥90%
Storage Stability -20°C/1 year
Synonyms FRS3; Fibroblast growth factor receptor substrate 3; FGFR substrate 3; FGFR-signaling adaptor SNT2; Suc1-associated neurotrophic factor target 2; SNT-2
Observed Band 54kD
Cell Pathway Membrane; Lipid-anchor.
Tissue Specificity Brain, Placenta,
function: Adapter protein that links FGR and NGF receptors to downstream signaling pathways. Involved in the activation of MAP kinases. Down-regulate ERK2 signaling by interfering with the phosphorylation and nuclear translocat of ERK2.,PTM:Phosphorylated on tyrosine residues upon stimulation by BFG NGFB.,similarity:Contains 1 IRS-type PTB domain.,subunit:Binds NTRK1 (By similarity). Binds FGFR1, NGFR, GRB2, PTPN11 and ERK2.,
This gene encodes a substrate for the fibroblast growth factor receptor. The encoded protein is found in the peripheral plasma membrane and links fibrobl growth factor receptor stimulation to activators of Ras. The encoded protein down-regulates extracellular regulated kinase 2 through direct binding. [providing by RefSeq, Jul 2013],



## UpingBio technology Co.,Ltd








matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using FRS3 Monoclonal Antibody