


NKAP Monoclonal Antibody

Catalog No	YP-mAb-05192
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	NKAP
Protein Name	NF-kappa-B-activating protein
Immunogen	Synthesized peptide derived from human protein . at AA range: 10-90
Specificity	NKAP Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	45kD
Cell Pathway	Nucleus .
Tissue Specificity	B-cell, Cervix, Epithelium, Hepatocyte, Placenta, Small intestine, Testis,
Function	function:Regulator of TNF and IL-1 induced NF-kappa-B activation.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the UPF0396 family.,
Background	This gene encodes a protein that is involved in the activation of the ubiquitous transcription factor NF-kapMAB. This protein is associated with the the histone deacetylase HDAC3 and with the Notch corepressor complex, and it thereby acts as a transcriptional repressor of Notch target genes. It is also required for alphabeta T cell development. A related pseudogene has been identified on chromosome X, while a related and intronless retrocopy, which has an intact CDS and may be functional, is located on chromosome 6. [provided by RefSeq, May 2010],
matters needing attention	Avoid repeated freezing and thawing!



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using NKAP Monoclonal Antibody