



PEX13 Monoclonal Antibody

Catalog No	YP-mAb-05906
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	PEX13
Protein Name	Peroxisomal membrane protein PEX13 (Peroxin-13)
Immunogen	Synthesized peptide derived from human protein . at AA range: 290-370
Specificity	PEX13 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	44kD
Cell Pathway	Peroxisome membrane ; Single-pass membrane protein .
Tissue Specificity	Liver,
Function	caution:It is uncertain whether Met-1 or Met-40 is the initiator.,disease:Defects in PEX13 are a cause of adrenoleukodystrophy neonatal (NALD) [MIM:202370]. NALD is a peroxisome biogenesis disorder (PBD) characterized by the accumulation of very long-chain fatty acids, adrenal insufficiency and mental retardation.,disease:Defects in PEX13 are the cause of peroxisome biogenesis disorder complementation group 13 (PBD-CG13) [MIM:601789]; also known as PBD-CGH. PBD refers to a group of peroxisomal disorders arising from a failure of protein import into the peroxisomal membrane or matrix. The PBD group is comprised of four disorders: Zellweger syndrome (ZWS), neonatal adrenoleukodystrophy (NALD), infantile Refsum disease (IRD), and classical rhizomelic chondrodysplasia punctata (RCDP). ZWS, NALD and IRD are distinct from RCDP and constitute a clinical continuum of overlapping phenotypes known
Background	peroxisomal biogenesis factor 13(PEX13) Homo sapiens This gene encodes a peroxisomal membrane protein that binds the type 1 peroxisomal targeting signal receptor via a SH3 domain located in the cytoplasm. Mutations and



deficiencies in peroxisomal protein importing and peroxisome assembly lead to peroxisomal biogenesis disorders, an example of which is Zellweger syndrome. [provided by RefSeq, Oct 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using PEX13 Monoclonal Antibody