





## VGLL2 Monoclonal Antibody

| Catalog No                | YP-mAb-06289  |
|---------------------------|---|
| Isotype                   | IgG   |
| Reactivity                | Human;Mouse   |
| Applications              | WB  |
| Gene Name                 | VGLL2 VITO1   |
| Protein Name              | Transcription cofactor vestigial-like protein 2 (Vgl-2) (Protein VITO1)   |
| Immunogen                 | Synthesized peptide derived from part region of human protein   |
| Specificity               | VGLL2 Monoclonal Antibody detects endogenous levels of protein.   |
| Formulation               | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.  |
| Source                    | Monoclonal, Mouse,IgG   |
| Purification              | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  |
| Dilution                  | WB 1:500-1:2000   |
| Concentration             | 1 mg/ml   |
| Purity                    | ≥90%  |
| Storage Stability         | -20°C/1 year  |
| Synonyms                  |   |
| Observed Band             | 34kD  |
| Cell Pathway              | Nucleus .   |
| Tissue Specificity        | Skeletal muscle.  |
| Function                  | function:May act as a specific coactivator for the mammalian TEFs. May play a role in the development of skeletal muscles.,similarity:Belongs to the vestigial family.,subunit:Interacts with TEFs. Binds to TEAD1/TEF1.,tissue specificity:Skeletal muscle.,   |
| Background                | This gene encodes a protein with a transcriptional enhancer factor 1 (TEF-1) interaction domain. The encoded protein may act as a co-factor of TEF-1 regulated gene expression during skeletal muscle development. Alternatively spliced transcript variants encoding multiple isoforms have been observed. [provided by RefSeq, Jul 2012], |
| matters needing attention | Avoid repeated freezing and thawing!  |
|                           |   |



## UpingBio technology Co.,Ltd








**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using VGLL2 Monoclonal Antibody