


## **BCL7C Monoclonal Antibody**

Catalog No	YP-mAb-06681
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	BCL7C
Protein Name	B-cell CLL/lymphoma 7 protein family member C
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	BCL7C Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,lgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	23kD
Cell Pathway	
Tissue Specificity	Ubiquitous.
Function	function:May play an anti-apoptotic role.,similarity:Belongs to the BCL7 family.,tissue specificity:Ubiquitous.,
Background	This gene is identified by the similarity of its product to the N-terminal region of BCL7A protein. The BCL7A protein is encoded by the gene known to be directly involved in a three-way gene translocation in a Burkitt lymphoma cell line. The function of this gene has not yet been determined. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2013],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.














Western Blot analysis of various cells using BCL7C Monoclonal Antibody