





PROP1 Monoclonal Antibody

| Catalog No | YP-mAb-06699 |
|--------------------|--|
| Isotype | IgG |
| Reactivity | Human;Mouse |
| Applications | WB |
| Gene Name | PROP1 |
| Protein Name | Homeobox protein prophet of Pit-1 (PROP-1) (Pituitary-specific homeodomain factor) |
| Immunogen | Synthesized peptide derived from part region of human protein |
| Specificity | PROP1 Monoclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 24kD |
| Cell Pathway | Nucleus . |
| Tissue Specificity | Expressed specifically in embryonic pituitary. |
| Function | disease:Defects in PROP1 are a cause of combined pituitary hormone deficiency (CPHD) [MIM:601538, 262600]. It is characterized by impaired production of growth hormone (GH) and one or more of the other five anterior pituitary hormones.,function:Possibly involved in the ontogenesis of pituitary gonadotropes, as well as somatotropes, lactotropes and caudomedial thyrotropes.,similarity:Belongs to the paired homeobox family.,similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Expressed specifically in embryonic pituitary., |
| Background | This gene encodes a paired-like homeodomain transcription factor in the developing pituitary gland. Expression occurs prior to and is required for expression of pou domain transcription factor 1, which is responsible for pituitary development and hormone expression. Mutations in this gene have been associated with combined pituitary hormone deficiency-2 as well as deficiencies ir luteinizing hormone, follicle-stimulating hormone, growth hormone, prolactin, and thyroid-stimulating hormone. [provided by RefSeq, Sep 2011], |



UpingBio technology Co.,Ltd








matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using PROP1 Monoclonal Antibody