





## RN135 Monoclonal Antibody

Catalog No	YP-mAb-07338
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	RNF135 L13
Protein Name	E3 ubiquitin-protein ligase RNF135 (EC 6.3.2) (RIG-I E3 ubiquitin ligase) (REUL) (RING finger protein 135) (Riplet)
Immunogen	Synthesized peptide derived from human protein . at AA range: 81-130
Specificity	RN135 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	47kD
Cell Pathway	Cytoplasm . Cytoplasm, Stress granule .
Tissue Specificity	Expressed in skeletal muscle, spleen, kidney, placenta, prostate, stomach, thyroid and tongue. Also weakly expressed in heart, thymus, liver and lung.
Function	disease:Defects in RNF135 are the cause of RNF135-related overgrowth syndrome. RNF135-related overgrowth syndrome is characterized by overgrowth learning disability, dysmorphic features and variable additional features.,similarity:Contains 1 B30.2/SPRY domain.,similarity:Contains 1 RING-type zinc finger.,
Background	ring finger protein 135(RNF135) Homo sapiens The protein encoded by this gene contains a RING finger domain, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions. This gene is located in a chromosomal region known to be frequently deleted in patients with neurofibromatosis. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!



## UpingBio technology Co.,Ltd








**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using RN135 Monoclonal Antibody