






PSYR Monoclonal Antibody

Catalog NoYP-mAb-07538IsotypeIgGReactivityHuman;MouseApplicationsWBGene NameGPR65 TDAG8Protein NamePsychosine receptor (G-protein coupled receptor 65) (T-cell death-associated gene 8 protein)ImmunogenSynthesized peptide derived from human protein . at AA range: 200-280SpecificityPSYR Monoclonal Antibody detects endogenous levels of protein.FormulationLiquid in PBS containing 50% glycerol, and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-1:2000
Reactivity Human; Mouse Applications WB Gene Name GPR65 TDAG8 Protein Name Psychosine receptor (G-protein coupled receptor 65) (T-cell death-associated gene 8 protein) Immunogen Synthesized peptide derived from human protein . at AA range: 200-280 Specificity PSYR Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Applications WB Gene Name GPR65 TDAG8 Protein Name Psychosine receptor (G-protein coupled receptor 65) (T-cell death-associated gene 8 protein) Immunogen Synthesized peptide derived from human protein . at AA range: 200-280 Specificity PSYR Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Gene Name Protein Name Psychosine receptor (G-protein coupled receptor 65) (T-cell death-associated gene 8 protein) Immunogen Synthesized peptide derived from human protein . at AA range: 200-280 Specificity PSYR Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Protein Name Psychosine receptor (G-protein coupled receptor 65) (T-cell death-associated gene 8 protein) Immunogen Synthesized peptide derived from human protein . at AA range: 200-280 Specificity PSYR Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen Synthesized peptide derived from human protein . at AA range: 200-280 Specificity PSYR Monoclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
SpecificityPSYR Monoclonal Antibody detects endogenous levels of protein.FormulationLiquid in PBS containing 50% glycerol, and 0.02% sodium azide.SourceMonoclonal, Mouse,IgGPurificationThe antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Source Monoclonal, Mouse,IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
affinity-chromatography using epitope-specific immunogen.
Dilution WB 1:500-1:2000
Concentration 1 mg/ml
Purity ≥90%
Storage Stability -20°C/1 year
Synonyms
Observed Band 37kD
Cell Pathway Cell membrane ; Multi-pass membrane protein .
Tissue Specificity Predominantly expressed in thymus, spleen, lymph nodes, small intestine, lung, placenta and peripheral blood leukocytes.
function: Receptor for the glycosphingolipid psychosine (PSY) and several related glycosphingolipids. May have a role in activation-induced cell death or differentiation of T-cells., similarity: Belongs to the G-protein coupled receptor 1 family., tissue specificity: Predominantly expressed in thymus, spleen, lymph nodes, small intestine, lung, placenta and peripheral blood leukocytes.,
function:Receptor for the glycosphingolipid psychosine (PSY) and several related glycosphingolipids. May have a role in activation-induced cell death or differentiation of T-cells.,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Predominantly expressed in thymus, spleen, lymph nodes, small intestine, lung, placenta and peripheral blood leukocytes.,
matters needing Avoid repeated freezing and thawing! attention



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using PSYR Monoclonal Antibody