


## CP062 mouse mAb

Catalog No	YP-mAb-08146
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	C16orf62 101F10.2
Protein Name	CP062
Immunogen	Synthesized peptide derived from human CP062 AA range: 304-354
Specificity	This antibody detects endogenous levels of CP062 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.261% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
•	•
Synonyms	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)
	•
Synonyms	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)  105kD  Membrane ; Single-pass membrane protein . Endosome . Endosome location is
Synonyms Observed Band	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)  105kD
Synonyms Observed Band Cell Pathway	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)  105kD  Membrane ; Single-pass membrane protein . Endosome . Endosome location is dependent of the association with the CCC and WASH complexes
Synonyms  Observed Band  Cell Pathway  Tissue Specificity	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)  105kD  Membrane; Single-pass membrane protein. Endosome. Endosome location is dependent of the association with the CCC and WASH complexes  Epithelium, Heart, Pancreas, Testis, Tongue, Uterus,
Synonyms  Observed Band  Cell Pathway  Tissue Specificity  Function	UPF0505 protein C16orf62 (Esophageal cancer-associated protein)  105kD  Membrane; Single-pass membrane protein. Endosome. Endosome location is dependent of the association with the CCC and WASH complexes  Epithelium, Heart, Pancreas, Testis, Tongue, Uterus,





## **Products Images**



Western Blot analysis of various cells using CP062 mouse mAb