








CCD92 mouse mAb

Catalog No	YP-mAb-08451
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	CCDC92
Protein Name	CCD92
Immunogen	Synthesized peptide derived from human CCD92 AA range: 43-93
Specificity	This antibody detects endogenous levels of CCD92 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 ma/ml
Concentration	1 mg/ml
Purity	1 mg/mi ≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole .
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm . caution:It is uncertain whether Met-1 or Met-18 is the initiator.,

Products Images



Western Blot analysis of various cells using CCD92 mouse mAb