





ANO3 mouse mAb

| Catalog No | VD mAh 09470 |
|---------------------------|---|
| Catalog No | YP-mAb-08479 |
| Isotype | IgG |
| Reactivity | Human; Mouse |
| Applications | WB |
| Gene Name | ANO3 C11orf25 TMEM16C GENX-3947 |
| Protein Name | ANO3 |
| Immunogen | Synthesized peptide derived from human ANO3 AA range: 518-568 |
| Specificity | This antibody detects endogenous levels of ANO3 at Human/Mouse |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | |
| Cell Pathway | Cell membrane ; Multi-pass membrane protein . Shows an intracellular localization |
| Tissue Specificity | Highly expressed in the forebrain striatum. |
| Function | function:May act as a calcium-activated chloride channel.,similarity:Belongs to the anoctamin family., |
| Background | The protein encoded by this gene belongs to the TMEM16 family of predicted membrane proteins, that are also known as anoctamins. While little is known about the function of this gene, mutations in this gene have been associated with some cases of autosomal dominant craniocervical dystonia. Cells from individuals with a mutation in this gene exhibited abnormalities in endoplasmic reticulum-dependent calcium signaling. Studies in rat show that the rat ortholog of this protein interacts with, and modulates the activity of a sodium-activated potassium channel. Deletion of this gene caused increased pain sensitivity in the rat model system. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Aug 2015], |
| matters needing attention | Avoid repeated freezing and thawing! |



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using ANO3 mouse mAb