




NAA16 mouse mAb

Catalog No	YP-mAb-08766
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	NAA16 NARG1L NAT2
Protein Name	NAA16
Immunogen	Synthesized peptide derived from human NAA16 AA range: 800-850
Specificity	This antibody detects endogenous levels of NAA16 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Concentiation	· ···⊒·····
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year nucleus,transcription factor complex,cytoplasm,NatA complex,extracellular
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year nucleus,transcription factor complex,cytoplasm,NatA complex,extracellular
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year nucleus,transcription factor complex,cytoplasm,NatA complex,extracellular exosome,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year nucleus,transcription factor complex,cytoplasm,NatA complex,extracellular exosome,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year nucleus,transcription factor complex,cytoplasm,NatA complex,extracellular exosome, function:May belong to a complex displaying N-terminal acetyltransferase activity.,similarity:Contains 7 TPR repeats.,

Products Images



Western Blot analysis of various cells using NAA16 mouse mAb