





SNX33 mouse mAb

YP-mAb-08888
IgG
Human; Mouse
WB
SNX33 SH3PX3 SH3PXD3C SNX30
SNX33
Synthesized peptide derived from human SNX33 AA range: 55-105
This antibody detects endogenous levels of SNX33 at Human/Mouse
Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Monoclonal, Mouse,IgG
The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-1:2000
1 mg/ml
≥90%
-20°C/1 year
Cytoplasm, cytosol. Membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasmic vesicle membrane; Peripheral membrane protein; Cytoplasmic side. Primarily cytosolic, but a minor proportion is membrane-bound (PubMed:18353773). Not associated with membranes (PubMed:21048941).
Detected in heart and pancreas.
similarity:Belongs to the sorting nexin family.,similarity:Contains 1 PX (phox homology) domain.,similarity:Contains 1 SH3 domain.,subunit:Interacts with ADAM15.,
The protein encoded by this gene is involved in cytoskeletal reorganization, vesicle trafficking, endocytosis, and mitosis. The encoded protein is essential for the creation of the cleavage furrow during mitosis and for completion of mitosis. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2015],
Avoid repeated freezing and thawing!



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using SNX33 mouse mAb