





## RSPO4 mouse mAb

Catalog No	YP-mAb-09062
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	RSPO4 C20orf182
Protein Name	RSPO4
Immunogen	Synthesized peptide derived from human RSPO4 AA range: 43-93
Specificity	This antibody detects endogenous levels of RSPO4 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Secreted .
Tissue Specificity	
Function	disease:Defects in RSPO4 are the cause of anonychia [MIM:206800]. This is a rare autosomal recessive conditions in which the only presenting phenotype is the absence or severe hypoplasia of all fingernails and toenails.,domain:The FU repeat is required for activation and stabilization of beta-catenin.,function:Activator of the beta-catenin signaling cascade, leading to TCF-dependent gene activation. Acts both in the canonical Wnt/beta-catenin-dependent pathway, possibly via a direct interaction with Wnt proteins, and in a Wnt-independent beta catenin pathway through a receptor signaling pathway that may not use frizzled/LRP receptors.,miscellaneous:Upon injection into mice, it induces rapid onset of crypt cell proliferation involving beta-catenin stabilization. It also displays efficacy in a model of chemotherapy-induced intestinal mucositis.,PTM:Tyr-112 may be phosphorylated; however as
Background	This gene encodes a member of the R-spondin family of proteins that share a common domain organization consisting of a signal peptide,



## UpingBio technology Co.,Ltd







cysteine-rich/furin-like domain, thrombospondin domain and a C-terminal basic region. The encoded protein may be involved in activation of Wnt/beta-catenin signaling pathways. Mutations in this gene are associated with anonychia congenital. Alternate splicing results in multiple transcript variants.[provided by RefŠeq, Sep 2009],


matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using RSPO4 mouse mAb