


TNFAIP8L3 Monoclonal Antibody

Catalog No	YP-mAb-10764
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB
Gene Name	TNFAIP8L3
Protein Name	TNFAIP8L3
Immunogen	Synthesized peptide derived from human TNFAIP8L3. at AA range: 15-45
Specificity	This antibody detects endogenous levels of TNFAIP8L3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Tumor necrosis factor alpha-induced protein 8-like protein 3 (TNF alpha-induced protein 8-like protein 3) (TNFAIP8-like protein 3)
Observed Band	33kD
Cell Pathway	Cytoplasm . Cell membrane . On PDGF activation, translocates from cytoplasm to plasma membrane
Tissue Specificity	Widely expressed (at protein level) (PubMed:25479791). Highly expressed in most carcinoma cell lines (PubMed:25479791, PubMed:25242044).
Function	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family.,
Background	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family., $ \frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2} \right$
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using TNFAIP8L3 Monoclonal Antibody