

TIF-IA Monoclonal Antibody

| Catalog No | YP-mAb-10800 |
|---------------------------|---|
| Isotype | IgG |
| Reactivity | Human;Mouse;Rat |
| Applications | WB |
| Gene Name | RRN3 TIFIA |
| Protein Name | RNA polymerase I-specific transcription initiation factor RRN3 (Transcription initiation factor IA) (TIF-IA) |
| Immunogen | Synthesized peptide derived from human TIF-IA Monoclonal |
| Specificity | This antibody detects endogenous levels of TIF-IA. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | RNA polymerase I-specific transcription initiation factor RRN3 (Transcription initiation factor IA) (TIF-IA) |
| Observed Band | 70kD |
| Cell Pathway | Nucleus, nucleolus . |
| Tissue Specificity | Hippocampus,Kidney,Pooled,Spleen, |
| Function | function:Required for efficient transcription initiation by RNA polymerase I.,similarity:Belongs to the RRN3 family., |
| Background | function:Required for efficient transcription initiation by RNA polymerase I.,similarity:Belongs to the RRN3 family., |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |
| | more information, picase consult teorifical personnel. |




UpingBio technology Co.,Ltd







Products Images



Western Blot analysis of various cells using TIF-IA Monoclonal Antibody