


MESD mouse mAb

| Catalog No | YP-mAb-11283 |
|---|--|
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | MESDC2 KIAA0081 MESD UNQ1911/PRO4369 |
| Protein Name | MESD |
| Immunogen | Synthesized peptide derived from human MESD AA range: 125-175 |
| Specificity | This antibody detects endogenous levels of MESD at Human/Mouse/Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| | 5 |
| Purity | ≥90% |
| | - |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% |
| Purity Storage Stability Synonyms | ≥90% |
| Purity Storage Stability Synonyms Observed Band | ≥90% -20°C/1 year Endoplasmic reticulum . Released from apoptotic cells and shed photoreceptor |
| Purity Storage Stability Synonyms Observed Band Cell Pathway | ≥90% -20°C/1 year Endoplasmic reticulum . Released from apoptotic cells and shed photoreceptor |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | ≥90% -20°C/1 year Endoplasmic reticulum . Released from apoptotic cells and shed photoreceptor |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function | ≥90% -20°C/1 year Endoplasmic reticulum . Released from apoptotic cells and shed photoreceptor |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing | ≥90% -20°C/1 year Endoplasmic reticulum . Released from apoptotic cells and shed photoreceptor outer segments |

Products Images



Western Blot analysis of various cells using MESD mouse mAb