





## VP37C mouse mAb

Catalog No	YP-mAb-11312
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	VPS37C PML39
Protein Name	VP37C
Immunogen	Synthesized peptide derived from human VP37C AA range: 220-270
Specificity	This antibody detects endogenous levels of VP37C at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Late endosome membrane ; Peripheral membrane protein . Probably associates with membranes. Recruited to the plasma membrane by HIV-1.
Tissue Specificity	
Function	function:Component of the ESCRT-I complex, a regulator of vesicular trafficking process. Required for the sorting of endocytic ubiquitinated cargos into multivesicular bodies. May be involved in cell growth and differentiation.,similarity:Belongs to the VPS37 family.,similarity:Contains 1 VPS37 C-terminal domain.,subcellular location:Probably associates with membranes. Recruited to the plasma membrane by HIV-1.,subunit:Component of the ESCRT-I complex (endosomal sorting complex required for transport I) which consists of TSG101, VPS28, a VPS37 protein (VPS37A to -D) and a FAM125/MVB12 protein (FAM125A or -B) in a 1:1:1:1 stoechiometry. Interacts with TSG101, VPS28, FAM125A and FAM125B. Interacts with HGS and STAM2. Interacts with CEP55.,
Background	VPS37C is a subunit of ESCRT-I (endosomal sorting complex required for transport I), a complex in the class E vacuolar protein sorting (VPS) pathway




## UpingBio technology Co.,Ltd







OMIM, Mar 2008],



## **Products Images**

