




RNF10 mouse mAb

| Catalog No | YP-mAb-11807 |
|---------------------------|---|
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | RNF10 KIAA0262 RIE2 |
| Protein Name | RNF10 |
| Immunogen | Synthesized peptide derived from human RNF10 AA range: 294-344 |
| Specificity | This antibody detects endogenous levels of RNF10 at Human/Mouse/Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | |
| Cell Pathway | Cytoplasm . Nucleus . |
| Tissue Specificity | |
| Function | similarity:Belongs to the RNF10 family.,similarity:Contains 1 RING-type zinc finger.,subunit:Interacts with MEOX2., |
| Background | The protein encoded by this gene contains a ring finger motif, which is known to be involved in protein-protein interactions. The specific function of this protein has not yet been determined. EST data suggests the existence of multiple alternatively spliced transcript variants, however, their full length nature is not known. [provided by RefSeq, Jul 2008], |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For |
| | more information, please consult technical personnel. |



Products Images



Western Blot analysis of various cells using RNF10 mouse mAb