






F132A mouse mAb

Catalog No	YP-mAb-12020
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	FAM132A C1QDC2
Protein Name	F132A
Immunogen	Synthesized peptide derived from human F132A AA range: 193-243
Specificity	This antibody detects endogenous levels of F132A at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
0	A marginal
Concentration	1 mg/ml
Purity	1 mg/ml ≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year [Adipolin fC1QTNF12]: Secreted .; [Adipolin gC1QTNF12]: Secreted . In sera is
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year [Adipolin fC1QTNF12]: Secreted .; [Adipolin gC1QTNF12]: Secreted . In sera is the predominant form
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year [Adipolin fC1QTNF12]: Secreted .; [Adipolin gC1QTNF12]: Secreted . In sera is the predominant form Predominantly expressed by adipose tissues.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year [Adipolin fC1QTNF12]: Secreted .; [Adipolin gC1QTNF12]: Secreted . In sera is the predominant form Predominantly expressed by adipose tissues.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year [Adipolin fC1QTNF12]: Secreted .; [Adipolin gC1QTNF12]: Secreted . In sera is the predominant form Predominantly expressed by adipose tissues. similarity:Belongs to the FAM132 family.,

Products Images



Western Blot analysis of various cells using F132A mouse mAb