






EP400 Mouse mAb

Catalog No	YP-mAb-12128
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	
Protein Name	
Immunogen	Recombinant protein (or fragment). This information is considered to be commercially sensitive.
Specificity	
Formulation	
Source	Monoclonal, Mouse,IgG
Purification	Affinity purification
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	P400; CAGH32; TNRC12; EP400
Observed Band	400kDa
Calculated Molecular Weight	343kDa
Cell Pathway	
Tissue Specificity	
Function	
Background	Predicted to enable several functions, including ATP binding activity; ATP-dependent chromatin remodeler activity; and protein antigen binding activity. Involved in histone H2A acetylation and histone H4 acetylation. Part of NuA4 histone acetyltransferase complex and Swr1 complex
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Products Images



Western blot analysis of various lysates using EP400 Mouse pAb (A12151) at 1:3000 dilution. Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 90s time: 90s.