

## CBWD1 mouse mAb


| Catalog No                | YP-mAb-12256  |
|---------------------------|---|
| Isotype                   | IgG   |
| Reactivity                | Human; Mouse;Rat  |
| Applications              | WB  |
| Gene Name                 | CBWD1   |
| Protein Name              | CBWD1   |
| Immunogen                 | Synthesized peptide derived from human CBWD1 AA range: 61-111   |
| Specificity               | This antibody detects endogenous levels of CBWD1 at Human/Mouse/Rat   |
| Formulation               | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| Source                    | Monoclonal, Mouse,IgG   |
| Purification              | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  |
| Dilution                  | WB 1:500-1:2000   |
| Concentration             | 1 mg/ml   |
| Purity                    | ≥90%  |
| Storage Stability         | -20°C/1 year  |
| Synonyms                  |   |
| Observed Band             |   |
| Cell Pathway              |   |
| Tissue Specificity        | Ubiquitously expressed. Up-regulated in cultured astrocytes treated with dopamine.  |
| Function                  | induction:Increased expression in response to dopamine treatment.,similarity:Belongs to the cobW family.,similarity:Contains 1 cobW C-terminal domain.,tissue specificity:Ubiquitously expressed. Up-regulated in cultured astrocytes treated with dopamine., |
| Background                |   |
| matters needing attention | Avoid repeated freezing and thawing!  |
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.   |
|                           |   |







## **Products Images**



Western Blot analysis of various cells using CBWD1 mouse mAb