






Olfactory receptor 5D13 Monoclonal Antibody

Catalog No	YP-mAb-13589
Isotype	IgG
Reactivity	Human;Monkey
Applications	WB
Gene Name	OR5D13
Protein Name	Olfactory receptor 5D13
Immunogen	The antiserum was produced against synthesized peptide derived from human OR5D13. AA range:265-314
Specificity	Olfactory receptor 5D13 Monoclonal Antibody detects endogenous levels of Olfactory receptor 5D13 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	OR5D13; Olfactory receptor 5D13; Olfactory receptor OR11-142; Olfactory receptor OR11-148
Observed Band	35kD
Cell Pathway	Cell membrane; Multi-pass membrane protein.
Tissue Specificity	
Function	function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,
Background	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an



UpingBio technology Co.,Ltd







allele encoding a

