

FGF-22 Monoclonal Antibody

Catalog No YP-mAb-15908 Isotype IgG Reactivity Human;Mouse;Rat Applications WB Gene Name FGF22 Protein Name Fibroblast growth factor 22 Immunogen The antiserum was produced against synthesized peptide derived from human FGF22. AA range:71-120	
Reactivity Human;Mouse;Rat Applications WB Gene Name FGF22 Protein Name Fibroblast growth factor 22 Immunogen The antiserum was produced against synthesized peptide derived from human FGF22. AA range:71-120	
Applications Gene Name FGF22 Protein Name Fibroblast growth factor 22 Immunogen The antiserum was produced against synthesized peptide derived from human FGF22. AA range:71-120	
Gene Name FGF22 Protein Name Fibroblast growth factor 22 Immunogen The antiserum was produced against synthesized peptide derived from human FGF22. AA range:71-120	
Protein Name Fibroblast growth factor 22 Immunogen The antiserum was produced against synthesized peptide derived from huma FGF22. AA range:71-120	
Immunogen The antiserum was produced against synthesized peptide derived from human FGF22. AA range:71-120	
FGF22. AA range:71-120	
FOE 00 M	an
Specificity FGF-22 Monoclonal Antibody detects endogenous levels of FGF-22 protein.	
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
Source Monoclonal, Mouse,IgG	
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.	
Dilution WB 1:500-1:2000	
Concentration 1 mg/ml	
Purity ≥90%	
Storage Stability -20°C/1 year	
Synonyms FGF22; Fibroblast growth factor 22; FGF-22	
Observed Band 20kD	
Cell Pathway Secreted .	
Tissue Specificity Placenta,	
Function function:May be involved in hair development.,similarity:Belongs to the heparin-binding growth factors family.,subunit:Interacts with FGFBP1.,	
The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities and are involved in a variety of biological processes including embrate development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. The mouse homolog of this gene was found to be preferentially expressed in the inner root sheath of the hair follicle, which suggested a role hair development. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014],	al yonic
matters needing Avoid repeated freezing and thawing! attention	



UpingBio technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using FGF-22 Monoclonal Antibody