



CCRK Monoclonal Antibody

Catalog No	YP-mAb-16671
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CDK20
Protein Name	Cyclin-dependent kinase 20
Immunogen	The antiserum was produced against synthesized peptide derived from human CCRK. AA range:31-80
Specificity	CCRK Monoclonal Antibody detects endogenous levels of CCRK protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CDK20; CCRK; CDCH; Cyclin-dependent kinase 20; CDK-activating kinase p42; CAK-kinase p42; Cell cycle-related kinase; Cell division protein kinase 20; Cyclin-dependent protein kinase H; Cyclin-kinase-activating kinase p42
Observed Band	39kD
Cell Pathway	Nucleus . Cytoplasm . Cell projection, cilium .
Tissue Specificity	
Function	similarity:Belongs to the protein kinase superfamily.,
Background	The protein encoded by this gene contains a kinase domain most closely related to the cyclin-dependent protein kinases. The encoded kinase may activate cyclin-dependent kinase 2 and is involved in cell growth. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Dec 2009],
matters needing attention	Avoid repeated freezing and thawing!



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

