



CD44 (PTR1298) Mouse mAb

Catalog No YP-mAb-18900 Isotype IgG Reactivity Human,Mouse,Rat Applications WB, IHC, IF, ELISA Gene Name CD44 LHR MDU2 MDU3 MIC4 Protein Name CD44 Immunogen Synthesized peptide derived from human CD44 AA range: 100-200 Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse,IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 molecule antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44 general sufface proteoglycan 8 antibody; CD44 general antibody; Epican antibody; HuTCH-1 antibody; HuTCH1 antibody; HuTCH1 antibody; HuTCH1 antibody; HuTCH1 antibody; HuTCH1 antibody; PGP1 antibody; PGP1		
Reactivity Human,Mouse,Rat Applications WB, IHC, IF, ELISA Gene Name CD44 LHR MDU2 MDU3 MIC4 Protein Name CD44 Immunogen Synthesized peptide derived from human CD44 AA range: 100-200 Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse,IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antigen antibody; CD44 molecule antibody; CD44 molecule antibody; CD44 molecule antibody; CD44 antibody; CD44 antibody; CD44 antibody; CD44 antibody; CD44 antibody; CD44 antibody; CB164 molecule antibody; Cell surface glycoprotein CD44 antibody; Epican antibody; Examelli antibody; Epican antibody; Examelli antibody; Epican antibody; Examelli antibody; Epican antibody; HuTCH1 antibody; HuTCH1 antibody; HuTCH1 antibody; Hyaluronate receptor antibody; MDC4 antibody; MDC4 antibody; MGC10468 antibody; MC56 antibody; MUTCH1 antibody; MGC10468 antibody; MGC4 antibody; MGC4 antibody; MIC4 antibody; MIC41 antibody; PGP-1 antibody; PGP-1 antibody; Soluble CD44 antibody; PGP-1 antibody; PGP-1 an	Catalog No	YP-mAb-18900
Applications WB, IHC, IF, ELISA Gene Name CD44 LHR MDU2 MDU3 MIC4 Protein Name CD44 Immunogen Synthesized peptide derived from human CD44 AA range: 100-200 Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse, IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC, wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antibody; Epican antibody; CM41 Septian antibody; Express antibody; Express antibody; Express antibody; Express antibody; Express antibody; Harmes antibody; Human antibody; Hu	Isotype	IgG
Gene Name CD44 LHR MDU2 MDU3 MIC4 Protein Name CD44 Immunogen Synthesized peptide derived from human CD44 AA range: 100-200 Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse, lgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC, wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antibody; CD44 molecule antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44 antibody; CD94 antibody; CD94 antibody; CD94 antibody; Epican antibody; CD94 antibody; CD94 antibody; Epican antibody; Epican antibody; Epican antibody; Human antibody; Human antibody; Human antibody; Human sulfate proteoglycan sulfate	Reactivity	Human,Mouse,Rat
Immunogen Synthesized peptide derived from human CD44 AA range: 100-200	Applications	WB, IHC, IF, ELISA
Immunogen Synthesized peptide derived from human CD44 AA range: 100-200 Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse,IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD44 antibody; CD44 antibody; CD44 molecule antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CD44 antibody; CDW44 antigen antibody; CD44_HUMAN antibody; CD90 (Imphocyte homing/adhesion receptor in CD44 antibody; GP90 (Imphocyte homing/adhesion receptor antibody; HCELL antibody; GP90 (Imphocyte homing/adhesion receptor antibody; HCELL antibody; Pematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCH1 antibody; HJRA antibody; HUTCH1 antibody; HUTCH1 antibody; HJRA antibody; MGC10468 antibody; MGC36 antibody; MJTCH I antibody; MGC10468 antibody; MGC4 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; Phagocytic glycoprotein 1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; PGP-1 antibody; Page PGP-1 antibody; Page PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody;	Gene Name	CD44 LHR MDU2 MDU3 MIC4
Specificity This antibody detects endogenous levels of CD44 protein. Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse, IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity 290% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44_HUMAN antibody; CDw44 antigen antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; CBI surface glycoprotein CD44 antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; INA antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MDU2 antibody; MBDU3 antibody; MGC10468 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; Phagocytic glycoprot	Protein Name	CD44
Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA Source Monoclonal, Mouse,IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CD44 antibody; CD44 antigen antibody; Cell surface glycoprotein CD44 antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; HCELL antibody; HUTCH1 antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MD12 antibody; MLU-related p80 Glycoprotein antibody; MIC4 antibody; MUTCH1 antibody; MGC10468 antibody; MIC4 antibody; MIC4 antibody; MUTCH1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody	Immunogen	Synthesized peptide derived from human CD44 AA range: 100-200
Source Monoclonal, Mouse,IgG Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; CH24_HUMAN antibody; CDW44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; Hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; Homing function and Indian blood group system antibody; HSA antibody; HUTCHI antibody; HUTCHI antibody; HUTCHI antibody; HYAluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody; Phagocytic glycoprotein 1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1	Specificity	This antibody detects endogenous levels of CD44 protein.
Purification Protein G Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44—HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; chondroitin sulfate proteoglycan 8 antibody; CSPG8 antibody; BCMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; Hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; HUTCH-I antibody; MUTCH-I antibody; MGC10468 antibody; MC56 antibody; MDU2 antibody; MUTCH-I antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; PGP-1 antibody; PGP-I antibody; PGP-I antibody; PGP-I antibody; PGP-I antibody; PGP-I antibody; Phagocytic glycoprotein 1 antibody; Phagocytic glycoprotein 1 antibody; Plantibody; Plantibody; Plantibody; Plantibody; PGP-I antibody; Plantibody; PGP-I antibody; PGP-I antibody; PGP-I antibody; PGP-I antibody; Plantibody; Plantibody; PGP-I antibody; PGP-	Formulation	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Dilution IHC 1:200-1:1000; WB 1:500-2000; IF 1:100-500; ELISA 1:1000-5000 Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; EcMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MDU2 antibody; MUTCH1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; Phagocytic glycoprotein 1 antibody;	Source	Monoclonal, Mouse,IgG
Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44_molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_molecule; Indian blood group; antibody; CDW44 antigen antibody; CDW44_molecule; Indian blood; CDW44_antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; CDW44 antigen antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; IN antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; MUTCH1 antibody; PGP-1 antibody; PGP-1 antibody; PGP1 antibody; Phagocytic glycoprotein 1 antibody; Phagocytic glycoprotein 1 antibody; Soluble CD44 antibody;	Purification	Protein G
Purity ≥90% Storage Stability -20°C/1 year Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; CDW44 antigen antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCHI antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; PGP-1 antibody; PGP-1 antibody; PGP-1 antibody; PGP1 antibody; Soluble CD44 antibody;		Note:For IHC,wesuggest antigen retrieval with TE buffer pH 9.0
Synonyms LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CDW44 antigen antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; chondroitin sulfate proteoglycan 8 antibody; CSPG8 antibody; ECMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCHI antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; MUTCH1 antibody; PGP-1 antibody; PGP-I antibody; PGP-I antibody; Phagocytic glycoprotein 1 antibody; Phagocyti	Concentration	1 mg/ml
LHR antibody; BA-1 antibody; CD 44 antibody; CD44 antibody; CD44 antigen antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; chondroitin sulfate proteoglycan 8 antibody; CSPG8 antibody; ECMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; MUTCH1 antibody; PGP-1 antibody; PGP-I antibody; PGP-I antibody; Soluble CD44 antibody;	Purity	≥90%
antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; chondroitin sulfate proteoglycan 8 antibody; CSPG8 antibody; ECMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; PGP-1 antibody; PGP-I antibody; PGP-I antibody; Soluble CD44 antibody;	Storage Stability	-20°C/1 year
• • • • • • • • • • • • • • • • • • • •	Synonyms	antibody; CD44 molecule; Indian blood group; antibody; CD44 molecule antibody; CD44_HUMAN antibody; CDw44 antibody; CDW44 antigen antibody; Cell surface glycoprotein CD44 antibody; chondroitin sulfate proteoglycan 8 antibody; CSPG8 antibody; ECMR-III antibody; Epican antibody; Extracellular matrix receptor III antibody; GP90 lymphocyte homing/adhesion receptor antibody; HCELL antibody; hematopoietic cell E-and L-selectin ligand antibody; Heparan sulfate proteoglycan antibody; Hermes antigen antibody; homing function and Indian blood group system antibody; HSA antibody; HUTCH-I antibody; HUTCH1 antibody; HUTCH1 antibody; Hyaluronate receptor antibody; IN antibody; INLU-related p80 Glycoprotein antibody; MC56 antibody; MDU2 antibody; MDU3 antibody; MGC10468 antibody; MIC4 antibody; MUTCH I antibody; PGP-1 antibody; PGP-I
		· · · · · · · · · · · · · · · · · · ·



UpingBio technology Co.,Ltd





Calculated Molecular Weight

81kD

Cell Pathway

Tissue Specificity

Function

Alternative products: Additional isoforms seem to exist. Additional isoforms are produced by alternative splicing of 10 out of 19 exons within the extracellular domain. Additional diversity is generated through the utilization of internal splice donor and acceptor sites within 2 of the exons. A variation in the cytoplasmic domain was shown to result from the alternative splicing of 2 exons. Isoform CD44 is expected to be expressed in normal cells. Splice variants have been found in many tumor cell lines. Exons 5, 6, 7, 8, 9, 10, 11, 13, 14 and 19 are alternatively spliced. Experimental confirmation may be lacking for some isoforms, Function: Receptor for hyaluronic acid (HA). Mediates cell-cell and cell-matrix interactions through its affinity for HA, and possibly also through its affinity for other ligands such as osteopontin, collagens, and matrix metalloproteinases (MMPs). Adhesion with HA plays an important role in cell migration, tumor growth and progression. Also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis. Altered expression or dysfunction causes numerous pathogenic phenotypes.

Background

The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis.

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images