

## RASGRF2 Mouse mAb

| Catalog No                     | YP-mAb-18963   |
|--------------------------------|--|
| Isotype                        | IgG  |
| Reactivity                     | Human,Mouse,Rat  |
| Applications                   | WB   |
| Gene Name                      | RASGRF2 GRF2   |
| Protein Name                   | Ras-specific guanine nucleotide-releasing factor 2 (Ras-GRF2) (Ras guanine nucleotide exchange factor 2)   |
| Immunogen                      | Synthesized peptide derived from human RASGRF2   |
| Specificity                    | This antibody detects endogenous levels of RASGRF2 at Human, Mouse,Rat   |
| Formulation                    | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| Source                         | Monoclonal, Mouse, IgG   |
| Purification                   | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.   |
| Dilution                       | WB 1:500-2000  |
| Concentration                  | 1 mg/ml  |
| Purity                         | ≥90%   |
| Storage Stability              | -20°C/1 year   |
| Synonyms                       |  |
| Observed Band                  |  |
| Calculated Molecular<br>Weight | 136kD  |
| Cell Pathway                   | Cytoplasm. Cell membrane; Peripheral membrane protein. Endoplasmic reticulum membrane; Peripheral membrane protein. Translocates to membranes when activated. Found both at cell periphery and along the axon of neurons (By similarity).  |
| Tissue Specificity             | Widely expressed with higher expression in brain, followed by heart, lung, pancreas and kidney. Detected in placenta. Expressed in brain and lung (at protein level).  |
| Function                       | Functions as a calcium-regulated nucleotide exchange factor activating both Ras and RAC1 through the exchange of bound GDP for GTP. Preferentially activates HRAS in vivo compared to RRAS based on their different types of prenylation. Functions in synaptic plasticity by contributing to the induction of long term potentiation. |
| Background                     |  |
|                                |  |



## UpingBio technology Co.,Ltd





| matters needing attention | Avoid repeated freezing and thawing!  |
|---------------------------|---|
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |
|                           |   |
|                           | Products Images   |
|                           |   |
|                           |   |
|                           |   |