





## TWEAKR/FN14 Mouse mAb

Catalog No	YP-mAb-18603
Isotype	IgG
Reactivity	Human;Mouse;
Applications	WB
Gene Name	TNFRSF12A FN14
Protein Name	Tumor necrosis factor receptor superfamily member 12A (Fibroblast growth factor-inducible immediate-early response protein 14) (FGF-inducible 14) (Tweak-receptor) (TweakR) (CD antigen CD266)
Immunogen	Synthesized peptide derived from human TWEAKR/FN14
Specificity	This antibody detects endogenous levels of TWEAKR/FN14 at Human, Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year  14kD
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  14kD  Membrane; Single-pass type I membrane protein.  Highly expressed in heart, placenta and kidney. Intermediate expression in lung,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  14kD  Membrane; Single-pass type I membrane protein.  Highly expressed in heart, placenta and kidney. Intermediate expression in lung, skeletal muscle and pancreas.  Receptor for TNFSF12/TWEAK. Weak inducer of apoptosis in some cell types. Promotes angiogenesis and the proliferation of endothelial cells. May modulate
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  14kD  Membrane; Single-pass type I membrane protein.  Highly expressed in heart, placenta and kidney. Intermediate expression in lung, skeletal muscle and pancreas.  Receptor for TNFSF12/TWEAK. Weak inducer of apoptosis in some cell types. Promotes angiogenesis and the proliferation of endothelial cells. May modulate
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90%  -20°C/1 year  14kD  Membrane; Single-pass type I membrane protein.  Highly expressed in heart, placenta and kidney. Intermediate expression in lung, skeletal muscle and pancreas.  Receptor for TNFSF12/TWEAK. Weak inducer of apoptosis in some cell types. Promotes angiogenesis and the proliferation of endothelial cells. May modulate cellular adhesion to matrix proteins.



## UpingBio technology Co.,Ltd

**C** Tel: 400-999-8863 **■** Email:3631691544@qq.com



Products Images