

(Tel: 400-999-8863 **(** Email:3631691544@qq.com




TRMT61A Mouse mAb


Catalog No	YP-mAb-18492
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	
Protein Name	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-289 of human TRMT61A (NP_689520.2).
Specificity	
Formulation	
Source	
Purification	Affinity purification
Dilution	WB 1:500 - 1:1000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	GCD14; TRM61; Gcd14p; hTRM61; C14orf172; TRMT61A
Observed Band	33kDa
Cell Pathway	
Tissue Specificity	
Function	
Background	Enables mRNA (adenine-N1-)-methyltransferase activity. Involved in mRNA methylation. Predicted to be located in nucleoplasm. Predicted to be part of tRNA (m1A) methyltransferase complex. Predicted to be active in nucleus.
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Products Images



Western blot analysis of various lysates using TRMT61A Mouse pAb (A10597) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.



Western blot analysis of various lysates using TRMT61A Mouse pAb (A10597) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.