





## ARL4C Mouse mAb

Catalog No	YP-mAb-18967
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	ARL4C ARL7
Protein Name	ADP-ribosylation factor-like protein 4C (ADP-ribosylation factor-like protein 7) (ADP-ribosylation factor-like protein LAK)
Immunogen	Synthesized peptide derived from human ARL4C
Specificity	This antibody detects endogenous levels of ARL4C at Human, Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal,Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Calculated Molecular Weight	21kD
Cell Pathway	Cell projection, filopodium. Cell membrane. Cytoplasm.
Tissue Specificity	Expressed in several tumor cell lines (at protein level). Expressed in lung, brain, leukocytes and placenta.
Function	Small GTP-binding protein which cycles between an inactive GDP-bound and an active GTP-bound form, and the rate of cycling is regulated by guanine nucleotide exchange factors (GEF) and GTPase-activating proteins (GAP). GTP-binding protein that does not act as an allosteric activator of the cholera toxin catalytic subunit. May be involved in transport between a perinuclear compartment and the plasma membrane, apparently linked to the ABCA1-mediated cholesterol secretion pathway. Recruits CYTH1, CYTH2, CYTH3 and CYTH4 to the plasma membrane in the GDP-bound form. Regulates the microtubule-dependent intracellular vesicular transport from early endosome to recycling endosome process.
Background	



## UpingBio technology Co.,Ltd





matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.
	Products Images