





FTSJD2 Rabbit pAb

| Catalog No | YP-Ab-19009 |
|--------------------------------|---|
| Isotype | IgG |
| Reactivity | Human,Mouse,Rat |
| Applications | WB |
| Gene Name | FTSJD2 KIAA0082 MTR1 |
| Protein Name | Cap-specific mRNA (nucleoside-2'-O-)-methyltransferase 1 (Cap1 2'O-ribose methyltransferase 1) (MTr1) (hMTr1) (FtsJ methyltransferase domain-containing protein 2) (Interferon-stimulated gene 95 kDa protein) (ISG95) |
| Immunogen | Synthesized peptide derived from human FTSJD2 |
| Specificity | This antibody detects endogenous levels of FTSJD2 at Human, Mouse,Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | |
| Calculated Molecular Weight | 92kD |
| Cell Pathway | Nucleus . |
| Tissue Specificity | |
| Function | S-adenosyl-L-methionine-dependent methyltransferase that mediates mRNA cap1 2'-O-ribose methylation to the 5'-cap structure of mRNAs. Methylates the ribose of the first nucleotide of a m(7)GpppG-capped mRNA and small nuclear RNA (snRNA) to produce m(7)GpppRm (cap1). Displays a preference for cap0 transcripts. Cap1 modification is linked to higher levels of translation. May be involved in the interferon response pathway. |
| Background | |
| matters needing attention | Avoid repeated freezing and thawing! |
| | |



UpingBio technology Co.,Ltd





Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

| Products Images |
|-----------------|
| |
| |
| |
| |