





FBXO11 Mouse mAb

Catalog No	YP-mAb-19086
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	FBXO11 FBX11 VIT1 UG063H01
Protein Name	F-box only protein 11 (Vitiligo-associated protein 1) (VIT-1)
Immunogen	Synthesized peptide derived from human protein. AA range:1500-1500
Specificity	This antibody detects endogenous levels of FBXO11 at Human,Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal,Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Calculated Molecular Weight	102kD
Cell Pathway	Nucleus. Chromosome.
Tissue Specificity	Isoform 5 is expressed in keratinocytes, fibroblasts and melanocytes.
Function	Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins, such as DTL/CDT2, BCL6 and PRDM1/BLIMP1. The SCF(FBXO11) complex mediates ubiquitination and degradation of BCL6, thereby playing a role in the germinal center B-cells terminal differentiation toward memory B-cells and plasma cells. The SCF(FBXO11) complex also mediates ubiquitination and degradation of DTL, an important step for the regulation of TGF-beta signaling, cell migration and the timing of the cell-cycle progression and exit. Binds to and neddylates phosphorylated p53/TP53, inhibiting its transcriptional activity. SCF(FBXO11) does not seem to direct ubiquitination of p53/TP53.



UpingBio technology Co.,Ltd





Background

matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images