




BFAR Mouse mAb

Catalog No	YP-mAb-19219
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	
Protein Name	
Immunogen	Recombinant protein (or fragment). This information is considered to be commercially sensitive.
Specificity	
Formulation	
Source	Monoclonal,Mouse,IgG
Purification	Affinity purification
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	BAR; RNF47; BFAR
Observed Band	53kDa
Calculated Molecular Weight	53kDa
Cell Pathway	
Tissue Specificity	
Function	
Background	Enables caspase binding activity; protein-macromolecule adaptor activity; and ubiquitin protein ligase activity. Involved in negative regulation of IRE1-mediated unfolded protein response; proteasome-mediated ubiquitin-dependent protein catabolic process; and protein ubiquitination. Acts upstream of or within negative regulation of apoptotic process. Located in endoplasmic reticulum and membrane.
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Western blot analysis of various lysates using BFAR Mouse mAb (A8308) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.