



# WDR24 Rabbit pAb

<b>Catalog No</b>	YP-Ab-19258
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human,Mouse
<b>Applications</b>	WB
<b>Gene Name</b>	WDR24 C16orf21 JFP7
<b>Protein Name</b>	WD repeat-containing protein 24
<b>Immunogen</b>	Synthesized peptide derived from human WDR24
<b>Specificity</b>	This antibody detects endogenous levels of WDR24 at Human, Mouse
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	WB 1:500-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Calculated Molecular Weight</b>	87kD
<b>Cell Pathway</b>	Lysosome membrane .
<b>Tissue Specificity</b>	
<b>Function</b>	As a component of the GATOR subcomplex GATOR2, functions within the amino acid-sensing branch of the TORC1 signaling pathway . Indirectly activates mTORC1 and the TORC1 signaling pathway through the inhibition of the GATOR1 subcomplex . It is negatively regulated by the upstream amino acid sensors SESN2 and CASTOR1 . In addition to its role in regulation of the TORC1 complex, promotes the acidification of lysosomes and facilitates autophagic flux .
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!



## Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images