



RBX1 mouse mAb

货号	YP-mAb-17933
同位型	IgG
应用	WB
种属	Human; Mouse;Rat
靶点	RBX1
基因名称	RBX1 RNF75 ROC1
蛋白名称	E3 ubiquitin-protein ligase RBX1 (EC 6.3.2.-) (Protein ZYP) (RING finger protein 75) (RING-box protein 1) (Rbx1) (Regulator of cullins 1)
免疫原	Synthesized peptide derived from human RBX1
特异性	This antibody detects endogenous levels of RBX1 at Human, Mouse
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
来源	Monoclonal, mouse,IgG
稀释	WB 1:500-2000
纯化工艺	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	12kD
功能	E3 ubiquitin ligase component of multiple cullin-RING-based E3 ubiquitin-protein ligase (CRLs) complexes which mediate the ubiquitination and subsequent proteasomal degradation of target proteins, including proteins involved in cell cycle progression, signal transduction, transcription and transcription-coupled nucleotide excision repair . CRLs complexes and ARIH1 collaborate in tandem to mediate ubiquitination of target proteins, ARIH1 mediating addition of the first ubiquitin on CRLs targets . The functional specificity of the E3 ubiquitin-protein ligase complexes depends on the variable substrate recognition components. As a component of the CSA complex promotes the ubiquitination of ERCC6 resulting in proteasomal degradation. Recruits the E2 ubiquitin-conjugating enzyme CDC34 to the complex and brings it into close proximity to the substrate. Probably also stimulates CDC34 autoubiqu
细胞定位	Cytoplasm . Nucleus .
组织表达	Widely expressed.
浓度	1 mg/ml
储存	-15°C to -25°C/ 1 year(Do not lower than -25°C)
有关注意事项	Avoid repeated freezing and thawing!



使用建议

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images