GPR182 Rabbit mAb

Catalog No	YP-rAb-17418
Isotype	IgG
Reactivity	Human,Mouse
Applications	WB
Gene Name	GPR182 ADMR
Protein Name	G-protein coupled receptor 182
Purification Process	Protein A
Specificity	Endogenous
Formulation	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Source	Monoclonal, Rabbit,IgG
Dilution	WB 1:1000-1:5000;
Concentration	0.5 mg/ml
Purity	≥90%
Storage Stability	-15° C to -25° C/1 year(Do not lower than -25° C)
Synonyms	
Observed Band	44kD
Calculated Molecular Weight	44kD
Cell Pathway	Cell membrane; Multi-pass membrane protein.
Tissue Specificity	Highly expressed in heart, skeletal muscle, immune system, adrenal gland and liver.
Function	Caution:Was originally (PubMed:9367907) thought to be a receptor for adrenomedullin.,Function:Orphan receptor.,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Highly expressed in heart, skeletal muscle, immune system, adrenal gland and liver.,
Background	Adrenomedullin is a potent vasodilator peptide that exerts major effects on cardiovascular function. This gene encodes a seven-transmembrane protein that belongs to the family 1 of G-protein coupled receptors. Studies of the rat counterpart suggest that the encoded protein may function as a receptor for adrenomedullin. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!

杭州臻优品生物科技有限公司
热销产品：
蛋白、一抗、抗体对、ELISA试剂盒、生化试剂盒
CCK8试剂盒、QPCR检测试剂盒
检测服务：
ELISA检测及定制服务 | 生化检测 | PCR、QPCR检测 | WB检测
ICO-IP检测 | 切片 | 染色 | 免疫组化 | 免疫荧光 | 透射电镜全套
| 宏基因组、转录组、基因组、蛋白组、代谢组测序
关注官网
关注客服

Usage suggestions This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Western blot analysis of lysates from HT-1376 cell, primary antibody was diluted at 1:1000, 4° over night, Dylight 800 secondary antibodywas diluted at 1:10000, 37° 1hour.

杭州臻优品生物科技有限公司
热销产品：
蛋白、一抗、抗体对、ELISA试剂盒、生化试剂盒
CCK8试剂盒、QPCR检测试剂盒
检测服务：
ELISA检测及定制服务 | 生化检测 | PCR、QPCR检测 | WB检测
ICO-IP检测 | 切片 | 染色 | 免疫组化 | 免疫荧光 | 透射电镜全套
| 宏基因组、转录组、基因组、蛋白组、代谢组测序
关注官网
关注客服



Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4° over night

杭州臻优品生物科技有限公司
热销产品：
蛋白、一抗、抗体对、ELISA试剂盒、生化试剂盒
CCK8试剂盒、QPCR检测试剂盒
检测服务：
ELISA检测及定制服务 | 生化检测 | PCR、QPCR检测 | WB检测
ICO-IP检测 | 切片 | 染色 | 免疫组化 | 免疫荧光 | 透射电镜全套
| 宏基因组、转录组、基因组、蛋白组、代谢组测序
关注官网
关注客服