




RAVER2 Rabbit mAb

Catalog No	YP-rAb-17673
Isotype	IgG
Reactivity	Human
Applications	WB,IHC,IF,ICC,IP
Gene Name	RAVER2;KIAA1579
Protein Name	Ribonucleoprotein PTB-binding 2;Protein raver-2;
Purification Process	Protein A
Specificity	Endogenous
Formulation	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Source	Monoclonal, Rabbit,IgG
Dilution	WB 1:1000-5000; IHC 1:100-300; ICC/IF 1:100-300; IP 1:50-100 Note: For IHC, we suggest antigen retrieval with TE buffer pH 9.0
Concentration	0.5 mg/ml
Purity	≥90%
Storage Stability	-15° C to -25° C/1 year(Do not lower than -25° C)
Synonyms	RAVER2 ; KIAA1579 ; Ribonucleoprotein PTB-binding 2 ; Protein raver-2 ;
Observed Band	76kD
Calculated Molecular Weight	
Cell Pathway	Nucleus. Cytoplasm. Note=May shuttle between the nucleus and the cytoplasm..
Tissue Specificity	
Function	May bind single-stranded nucleic acids. {ECO:0000305}.
Background	Enables RNA binding activity. Predicted to be located in cytoplasm and nucleus. [provided by Alliance of Genome Resources, Feb 2025]
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of HeLa whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-RAVER2 rabbit mAb. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.

