



# CRIP1 Rabbit pAb

|                                    |   |
|------------------------------------|---|
| <b>Catalog No</b>                  | YP-Ab-19363   |
| <b>Isotype</b>                     | IgG   |
| <b>Reactivity</b>                  | Human,Mouse,Rat   |
| <b>Applications</b>                | WB  |
| <b>Gene Name</b>                   | CRIP1 CRIP CRP1   |
| <b>Protein Name</b>                | Cysteine-rich protein 1 (CRP-1) (Cysteine-rich heart protein) (CRHP) (hCRHP) (Cysteine-rich intestinal protein) (CRIP)            |
| <b>Immunogen</b>                   | Synthesized peptide derived from human CRIP1. AA range:1-77   |
| <b>Specificity</b>                 | This antibody detects endogenous levels of CRIP1 at Human, Mouse,Rat  |
| <b>Formulation</b>                 | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Source</b>                      | Polyclonal, Rabbit,IgG  |
| <b>Purification</b>                | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.             |
| <b>Dilution</b>                    | WB 1:500-2000   |
| <b>Concentration</b>               | 1 mg/ml   |
| <b>Purity</b>                      | ≥90%  |
| <b>Storage Stability</b>           | -20°C/1 year  |
| <b>Synonyms</b>                    |   |
| <b>Observed Band</b>               |   |
| <b>Calculated Molecular Weight</b> | 8kD   |
| <b>Cell Pathway</b>                |   |
| <b>Tissue Specificity</b>          |   |
| <b>Function</b>                    | Seems to have a role in zinc absorption and may function as an intracellular zinc transport protein.                              |
| <b>Background</b>                  |   |
| <b>matters needing attention</b>   | Avoid repeated freezing and thawing!  |
| <b>Usage suggestions</b>           | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |



## Products Images